

# ATH RG7.5-4

## Product Images

---



## Description

---

- High-precision manufacturing by laser cutting and robotic welding
- Robust and less sensitive hydraulic drive, almost maintenance-free
- 4 mobile columns can be flexibly positioned due to long connecting cables
- With the hand hydraulic jack-lift, the columns can be moved in an easy and secure way
- Control unit on every column, lifting and lowering with push button control
- The control can be switched from one to all-column lifting
- Lifting mechanism with wear-free trapezoidal screw drive, self-locking bronze lifting nut and low-maintenance geared motor
- Safety nut if the support nut breaks
- Powder-coated lift in attractive anthracite gray
- Optional: Adapter for smaller wheels (item number: 710020)
- Optional: Mobil support frame (item number: 710050)
- Perfect lift for trucks and busses

## Additional Information

---

|                       |                           |
|-----------------------|---------------------------|
| Color                 | Anthrazitgrau / Schwarz   |
| Rated load capacity   | 7,5 t                     |
| Lifting height max.   | 1.740 mm                  |
| Overall height        | 2.750 mm                  |
| Column width          | 1.140 mm                  |
| Driving power         | 3 kW                      |
| Lifting/Lowering time | ca. 180 s                 |
| Power supply voltage  | 3x 400V / C63A            |
| Concrete strength     | min. C20/25 Dicke: 250 mm |

